

PATENT



Case Docket No.: 45716

AF
EFW

In re Application of: Barry H. Ginsberg

Serial No.: 10/658,209

Filed: September 10, 2003

For: APPARATUS AND METHOD FOR
MONITORING BLOOD GLUCOSE
LEVELS INCLUDING CONVENIENT
DISPLAY OF BLOOD GLUCOSE VALUE
AVERAGE AND CONSTITUENT VALUES

Patent Art Unit: 3735

Examiner: Nasser, Robert

Confirmation No.: 3221

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Transmitted herewith is an Amendment in the above-identified application:

Small entity status of this application under 37 C.F.R. § 1.9 and 1.27 has been established by a verified statement previously submitted.

A verified statement to establish small entity status under 37 C.F.R. § 1.9 and 1.27 is enclosed.

No additional fee is required.

The fee has been calculated as shown below:

CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	SMALL ENTITY		OTHER THAN A SMALL ENTITY	
			RATE	ADDIT. FEE	RATE	ADDIT. FEE
TOTAL	33	- = 71	0		x 26 = \$	
INDEP	7	- = 10	0		x 110 = \$	
<input type="checkbox"/> FIRST PRESENTATION OF MULT. DEP. CLAIM				+ 195 = \$		+ 390 = \$
If the difference in Col. 1 is less than zero, enter "0" in Col. 2			TOTAL	\$	TOTAL	\$

Applicant(s) petition(s) for an extension of 1 month to respond and submits herewith the fee of \$130.00.

Please charge my Deposit Account No. 18-2220 in the amount of \$_____. A duplicate copy of this sheet is attached.

A check in the amount of \$130.00 is attached.

The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 18-2220. A duplicate copy of this sheet is attached.

Any additional excess claim fees under 37 C.F.R. § 1.16.

Any additional patent application processing fees under 37 C.F.R. § 1.17.

Dated: February 12, 2009

Roylance, Abrams, Berdo & Goodman, L.L.P.
1300 19th Street, N.W., Suite 600
Washington, D.C. 20036
(202) 659-9076

Stacey J. Longanecker
Stacey J. Longanecker
Attorney of Record
Reg. No. 33,952